

351 AUTHORIZES ATTENDANCE OF BUILDING DEPARTMENT INSPECTORS
FOR MODULAR HOME CONSTRUCTION SEMINAR

Councilman Lombardi moved that Resolution #351 be removed from the table and Councilman Pike seconded.

Councilman Boschetti offered the following resolution which was seconded by Councilman Lombardi.

WHEREAS, it is the desire of Senior Building Inspector Raymond Wiwczar and Building Inspector John Ziemacki to attend said semina, and

NOW, THEREFORE, BE IT RESOLVED, thta Senior Building Inspector Raymond Wiwczar and Building Inspector John Ziemacki be and hereby authorized to attend modular home construction seminar to be held in Avis, Penns., June 7 - 8, 1988, and

BE IT FURTHER, that Senior Building Inspector Raymond Wiwczar and Building Inspector John Ziemacki receive advance monies in the amount of \$300 for related expenses and be allowed the use of the Town vehicle said expenses to be fully receipted upon their return.

The vote, Boschetti, yes, Pike, yes, Civiletti, yes, Lombardi, yes, Janoski, yes.

The resolution was thereupon duly declared adopted.

395 AUTHORIZES TOWN CLERK TO PUBLISH & POST PUBLIC NOTICE
RE: WATER DISTRICT LEAD NOTIFICATION

Councilperson Civiletti offered the following
resolution which was seconded by Councilperson Pike.

RESOLVED, that the Town Clerk be and is hereby authorized to publish and post the attached public notice of the Riverhead Water District with regard to lead notification in the 6/9/88, 7/14/88 and 8/11/88 issue of The News Review; and

BE IT FURTHER, that the Town Clerk forward a certified copy of this resolution to Gary Pendzick.

The vote, Boschetti, yes, Pike, yes, Civiletti, yes, Lombardi, yes, Janoski, yes.

The resolution was thereupon duly declared adopted.

TOWN OF RIVERHEAD
PUBLIC NOTICE
RIVERHEAD
WATER DISTRICT
LEAD NOTIFICATION

This Lead Notice is provided in compliance with USEPA's lead public notice requirements under Section 1417 of the Safe Drinking Water Act Amendments of 1986.

Lead is a naturally occurring metal found in low levels in the earth's crust and in most ground and surface waters.

The United States Environmental Protection Agency (EPA) sets drinking water standards and has determined that lead is a health concern at certain levels of exposure. There is currently a standard of 0.050 parts per million (ppm). Based on new health information, EPA is likely to lower this standard significantly.

Part of the purpose of this notice is to inform you of the potential adverse health effects of lead. This is being done even though your water may not be in violation of the current standard.

EPA and others are concerned about lead in drinking water. Too much lead in the human body can cause serious damage to the brain, kidneys, nervous system, and red blood cells. The greatest risk, even with short-term exposure, is to young children and pregnant women.

Lead levels in your drinking water are likely to be highest:

- if your home or water system has lead pipes, or
- if your home has copper pipes with lead solder, and the home is less than five years old, or if water sits in the pipe for several hours.

Lead levels in naturally occurring Long Island groundwater is in all cases lower than the New York State and Federal drinking water standards.

Elevated lead in drinking water is usually linked with the use of lead pipe or lead solder in copper pipe. Some drinking waters are very corrosive. A corrosive water has a tendency to dissolve the metal it is in contact with. This may accelerate the leach-

6/9/88

733

-2-

ing of lead into drinking water. However, even waters with relatively low corrosivity can cause lead to be dissolved if the water is allowed to sit in the plumbing undisturbed for at least 6 hours. The drinking water supplied by the Riverhead Water District is minimally corrosive.

However, tap water may still contain lead. The Riverhead Water District routinely increases the pH of the raw water in order to minimize lead exposure.

If you think your plumbing consists of lead pipes, or you are concerned about possible lead in your drinking water, an inexpensive water test can be performed. For additional information, contact the Riverhead Water District at 727-3200, or the New York State Health Department, or the Suffolk County Department of Health Services.

IRENE PENDZICK
TOWN CLERK
TOWN OF RIVERHEAD

DATE: June 7, 1988

396 APPROVES EXHIBITION APPLICATION OF BEACH TOWN U.S.A.
PROMOTIONS RE: SPINKS/TYSON HEAVYWEIGHT CHAMPIONSHIP

Councilperson Pike offered the following resolution, which was seconded by Councilperson Civiletti:

WHEREAS, an application for the closed-circuit telecast of the heavyweight championship for June 27, 1988, has been made by Beach Town U.S.A. Promotions, which application dated June 2, 1988 is on file with the Town Clerk; and

WHEREAS, this application has been reviewed by the Town Board; and

WHEREAS, the application particularly describes the nature of the exhibition to be held.

NOW, THEREFORE, BE IT

RESOLVED, that the application for the closed-circuit telecast of the Spinks/Tyson heavyweight championship be and is hereby approved, said telecast to take place on June 27, 1988; and be it further

RESOLVED, that this approval is subject to and conditioned upon the applicant and owner of the subject premises submitting to the Town Clerk a certificate of insurance naming the Town of Riverhead as additional insured, said certificate to be for liability insurance coverage to be not less than a minimum sum of five hundred thousand dollars (\$500,000.), and one million dollars (\$1,000,000.) for more than one (1) person, and property damage coverage in the sum of five hundred thousand dollars (\$500,000.) for any one (1) or more persons, which shall be approved as to form and sufficiency by the Town Attorney; and be it further

RESOLVED, that the Town Clerk be and is hereby authorized to forward a certified copy of this resolution to Beach Town U.S.A. Promotions, World Life Entertainment, Inc. (Riverhead Raceway) and the Riverhead Police Department.

The vote, Boschetti, yes, Pike, yes, Civiletti, yes, Lombardi, yes, Janoski, yes.

The resolution was thereupon duly declared adopted.

397 AUTHORIZES MODIFICATION & IMPROVEMENT TO RIVERHEAD
SEWAGE PLANT AS PER LIST A OF EXHIBIT I AS ATTACHED

Councilperson Lombardi offered the following
resolution which was seconded by Supervisor Janoski.

WHEREAS, the Riverhead Sewage Treatment Plant is operated by
the Town of Riverhead pursuant to State and County permits; and

WHEREAS, these regulatory agencies have recommended
modifications and improvements to the existing plant; and

WHEREAS, it is the desire of the Town Board to improve the
current operating efficiency of the plant by making these
modifications and improvements to permit the plant to meet or
exceed effluent limitations contained in these State and County
permits; and

WHEREAS, these recommended modifications and improvements
have been reviewed by the engineering firm of Holzmacher,
McLendon and Murrell and Clement Petraszewski as Superintendant
of the plant; and

WHEREAS, simultaneously the Town Board has agreed in
principle to retain the services of Cornell University to do a
study to assist this Board in assessing and determining the long-
term needs of the sewer plant as regards expansion of the
capacity of the plant and additional effluent improvements; and

WHEREAS, it is their recommendation that the modifications
and improvements detailed in List A of Exhibit I attached hereto
be made the subject of the necessary proceeding to permit the
construction of these improvements and modifications to proceed
as soon as possible; and

WHEREAS, the Board desires to authorize the Supervisor to
engage the engineer to prepare the complete map and plan
necessary for the proceeding pursuant to Section 202b of the Town
Law; and

NOW, THEREFORE, BE IT RESOLVED, that this Town Board wishes
to hold the necessary public hearing to consider whether the
improvements recommended are in the best interest of the
residents of the Riverhead Sewer District; and

BE IT FURTHER RESOLVED, that the Supervisor is hereby
authorized to retain the engineering firm of Holzmacher, McLendon
and Murrell solely for the purpose of preparing the necessary map
and plan covering the improvement and modifications detailed in
List A of Exhibit I attached hereto; and

BE IT FURTHER RESOLVED, that the Town Clerk is hereby
authorized to forward a copy of this resolution to H2M, Clement
Petraszewski and Jack Hansen.

The vote, Boschetti, yes, Pike, yes, Civiletti, abstained,
Lombardi, yes, Janoski, yes. The resolution was thereupon duly

EXHIBIT IRIVERHEAD SEWER DISTRICTPHASE I TREATMENT PLANT IMPROVEMENTSCAPITAL COST ESTIMATE (\$)

<u>Construction Cost Component</u>	<u>A*1</u>	<u>B*2</u>
1) Trickling filter repairs, replacement of existing trickling filter arms.	105,000	---
2) Rotating biological discs	260,000	340,000
3) Secondary settling tank (including sludge pumps)	---	315,000
4) Chlorine contact tank	210,000	---
5) Miscellaneous improvements to sludge treatment		
a) Replace sludge pumps	220,000	---
b) Replace digester gas piping and accessories		
6) Miscellaneous improvements to STP		
a) Replace valves	160,000	---
b) Replace gates, etc.		
7) Mechanical and Site Piping	90,000	130,000
8) Electrical and Instrumentation	65,000	95,000
9) Site Work	<u>40,000</u>	<u>60,000</u>
Subtotal	1,150,000	940,000
10) Inflation Allowance to 1988 Dollars	69,000	56,000
11) Contingencies	61,000	49,000
12) Administration, Engineering & Legal Expenses	245,000	200,000
13) Interest during Construction	<u>75,000</u>	<u>60,000</u>
TOTAL CAPITAL COST	<u>1,600,000</u>	<u>1,305,000</u>

*1 The improvements and costs indicated under Category A are necessary to meet secondary treatment levels and maintain the existing sewage treatment plant and processes at a flow rate of 1.2 MGD.

*2 The improvements and costs indicated under Category B are necessary to meet secondary treatment levels and expand the plant from 1.2 to 1.6 MGD.

The total of Phase I improvements = A + B

Resolution 398 Sets policy and authorizes study on Waste Treatment at Sewer District

Councilman Boschetti offered the following resolution which was seconded by Councilman Pike.

TOWN OF RIVERHEAD

RESOLUTION

WHEREAS, this Board is the managing Board of the Riverhead Sewer District and part of the management of the Riverhead Scavenger Waste Plant, and

WHEREAS, we have received a copy of the "Engineering Report for the Peconic Drainage Basin" prepared by consultants Holzmacher, McLendon and Murrell, dated May, 1988,

WHEREAS, we have reviewed this document and the other reports that preceded it,

WHEREAS, we wish to go on record as to our current intentions,

NOW THEREFORE, be it resolved, that we ratify and incorporate herein the attached May 26th letter sent to Chris Smith of the Cooperative Extension as the policy of the board; and be it further

Resolved that this board intends to sign an agreement with Cornell University, New York State Water Resource Institute, John H. Martin, Jr., Senior Program Associate, for the use of the services of that institution in preparing a study for accomplishing the purposes mentioned in the letter, among other things, the best approach for reducing and eliminating discharges of nitrogen and any other contaminant or pollution from the town's base water management facilities and scavenger waste plant into the Peconic Bay, and initiating capacity improvements to the sewage treatment plant consistent with handling our future population and growth in away that provides for the return of maraculture to the Flanders, Peconic, Gardeners Bay Estuary system, and be it further

Resolved that the Town Clerk mail certified copies of this resolution to Mr. Martin of Cornell University, Christopher Smith, County Legislators Greg Blass and Steve Englebright, The Southampton Town Board, Clem Petrazewski of the Riverhead Treatment Plant and Consulting engineers H2M.

The vote, Boschetti, yes, Pike, yes, Civiletti, yes, Lombardi, yes, Janoski, yes.

The resolution was thereupon duly declared adopted.

TOWN OF RIVERHEAD

RESOLUTION # 379

AUTHORIZES TOWN CLERK TO ADVERTISE FOR BIDS FOR
ONE (1) NEW 1988 FORD F-600 EQUIPPED PER SPECIFICATIONS OR EQUAL

COUNCILPERSON Lombardi OFFERED THE FOLLOWING RESOLUTION
WHICH WAS SECONDED BY COUNCILPERSON Boschetti.

RESOLVED, THAT THE TOWN CLERK OF THE TOWN OF RIVERHEAD BE AND
IS HEREBY AUTHORIZED TO ADVERTISE FOR SEALED BIDS FOR ONE (1) NEW 1988
FORD F-600 EQUIPPED PER SPECIFICATIONS OR EQUAL FOR THE USE OF THE TOWN
OF RIVERHEAD HIGHWAY DEPARTMENT, AND BE IT FURTHER

RESOLVED, THAT THE SPECIFICATIONS AND FORMS FOR BIDDING BE PRE-
PARED BY THE SUPERINTENDENT OF HIGHWAYS, AND BIDS BE RETURNABLE UP TO
11:00 A.M. ON JUNE 27, 1988 AND BE IT FURTHER

RESOLVED, THAT THE TOWN CLERK OF THE TOWN OF RIVERHEAD BE AND
IS HEREBY AUTHORIZED TO OPEN PUBLICLY AND READ ALOUD ON JUNE 27, 1988 AT
11:00 A.M. AT THE TOWN CLERK'S OFFICE, 200 HOWELL AVENUE, RIVERHEAD, NEW
YORK, ALL SEALED BIDS BEARING THE DESIGNATION "BID ON ONE (1) NEW 1988
FORD F-600 EQUIPPED PER SPECIFICATION OR EQUAL".

The vote, Boschetti, yes, Pike, yes, Civiletti, yes, Lombardi,
yes, Janoski, yes.

The resolution was thereupon duly declared adopted.

CBB

NOTICE TO BIDDERS

SEALED BIDS FOR THE PURCHASE OF ONE (1) NEW 1988 FORD F-600
EQUIPPED PER SPECIFICATIONS OR EQUAL FOR THE USE OF THE RIVERHEAD
HIGHWAY DEPARTMENT WILL BE RECEIVED BY THE TOWN CLERK OF THE TOWN OF
RIVERHEAD AT THE TOWN HALL, 200 HOWELL AVENUE, RIVERHEAD, NEW YORK,
11901 UNTIL 11:00 A.M. ON JUNE 27, 1988

INSTRUCTIONS FOR BIDDERS, SPECIFICATIONS AND BID FORMS MAY BE
OBTAINED AT THE OFFICE OF THE SUPERINTENDENT OF HIGHWAYS, OSBORN AVENUE,
RIVERHEAD, NEW YORK BETWEEN THE HOURS OF 8:30 A.M. AND 4:30 P.M. WEEK-
DAYS.

ALL BIDS WILL BE SUBMITTED ON THE BID FORM PROVIDED. ANY AND ALL
EXCEPTIONS TO THE SPECIFICATIONS WILL BE LISTED ON A SEPARATE SHEET BEAR-
ING THE DESIGNATION "EXCEPTIONS TO THE SPECIFICATIONS", AND ATTACHED
TO THE BID FORM.

THE TOWN BOARD RESERVES THE RIGHT AND RESPONSIBILITY TO REJECT
ANY OR ALL BIDS OR WAIVE ANY FORMALITIES IF IT BELIEVES SUCH ACTION IS
IN THE BEST INTEREST OF THE TOWN.

ALL BIDS WILL BE SUBMITTED IN A SEALED ENVELOPE BEARING THE DES-
IGNATION "BID ON ONE (1) NEW 1988 FORD F-600 EQUIPPED PER SPECIFICATIONS
OR EQUAL".

9

DATE: JUNE 16, 1988

BY ORDER OF THE TOWN BOARD
OF THE TOWN OF RIVERHEAD
IRENE J. PENDZICK, TOWN CLERK